

## Certificate of Analysis

**Prepared For:** Juiceroom LLC Laboratory ID: 2023-01-24-005 Sample ID: Salve Stick - F3 **Date Received:** 1/24/2023 Batch ID: 1500mg CBD/500MG CBG **Date Reported:** 2/1/2023 Sample Weight (mg): N/A **Testing Protocol:** Potency **HPLC** Material: **Topical Testing Method:** 



Water Activity	рН	Moisture	Density (g/mL)	Terpenes
NT	NT	NT	NT	NT

## **Cannabinoid Potency Analysis**

				Analyte
Δ10-THC (R+S)	0.00%			Δ10-THC (R+S)
Δ9-THC	- 0.17%			Δ9-ΤΗС
Δ9-ΤΗСΑ	0.00%			Δ9-ΤΗСΑ
Δ8-THC	0.00%			Δ8-ΤΗС
Δ9-ΤΗСΡ	0.00%			Δ9-ΤΗСΡ
Δ9-THC-O Acetate	0.00%			Δ9-THC-O Acetat
HHC (R+S)	0.00%			HHC (R+S)
Δ9-THCV	0.00%			Δ9-ΤΗCV
Δ9-THCVA	0.00%			Δ9-ΤΗCVA
CBD			5.30%	CBD
CBDA	0.00%			CBDA
CBDV	0.03%			CBDV
CBDVA	0.00%			CBDVA
CBG		2.30%		CBG
CBGA	0.00%			CBGA
CBN	0.02%			CBN
CBNA	0.00%			CBNA
CBC	0.85%			CBC
CBCA	0.00%			CBCA

Analyte	LOQ (%)	(%)	(mg/g)
Δ10-THC (R+S)	0.01	0.00%	0.0
Δ9-ΤΗС	0.01	0.17%	1.7
Δ9-ΤΗCΑ	0.01	0.00%	0.0
Δ8-ΤΗС	0.01	0.00%	0.0
Δ9-ΤΗСΡ	0.01	0.00%	0.0
Δ9-THC-O Acetate	0.01	0.00%	0.0
HHC (R+S)	0.01	0.00%	0.0
Δ9-THCV	0.01	0.00%	0.0
Δ9-ΤΗCVA	0.01	0.00%	0.0
CBD	0.01	5.30%	53.0
CBDA	0.01	0.00%	0.0
CBDV	0.01	0.03%	0.3
CBDVA	0.01	0.00%	0.0
CBG	0.01	2.30%	23.0
CBGA	0.01	0.00%	0.0
CBN	0.01	0.02%	0.2
CBNA	0.01	0.00%	0.0
CBC	0.01	0.85%	8.5
CBCA	0.01	0.00%	0.0
Total		8.67%	86.7



Josh Peterson

Date Tested:
1/24/2023

Analyst:

**8.67%**Total Cannabinoids

**0.17%** Total THC

5.30% Total CBD

Agrozen Laboratory Authenticity QR Code Total THC = THCa \*  $0.877 + \Delta 9$ -THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation, ND= Not Detected, NT = Not Tested, NR = Not Reported, Density Tested at a temperature range of 19-24 °C, Water Activity tested at a humidity range of 0.90% relative humidity.

**Final Approval:** 

Jeff Peterson, Lab Director

Brid Sell

Brian Schroeder, Managing Partner

Date Signed and Approved:

2/1/2023

417 Ransdell Road, Lebanon, IN 46052 (844)-655-6935

(844)-655-6935 agrozenlabs.com

Agrozen Labs provides COA's based on samples received into our facility and analysis according to our SOP's. Tests are completed at our certified testing laboratory through the State of Indiana by certified laboratory technicians. Reference standards and test samples are measured against submitted samples to ensure testing accuracy. Agrozen Labs has generated the information for our client who reserves all rights to the report. The report may not be duplicated, except in full, or altered without written consent from Agrozen Labs.